



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

BIBDATASHEET

CONFIRMATION NO. 3832

Bib Data Sheet

SERIAL NUMBER 09/980,912	FILING DATE 06/30/2003 RULE	CLASS 222	GROUP ART UNIT 3754	ATTORNEY DOCKET NO. 2A0120.USD
-----------------------------	---------------------------------------	--------------	------------------------	-----------------------------------

APPLICANTS

2/15/04
Paul
 Linda Barker, Westbourne Honeybourne, UNITED KINGDOM; *Philip Andrew Simmons*; *OK 11/15/04*
Keith James Hayes
Martin Stanley Johnson
Steven MaVider

** CONTINUING DATA *****

This application is a 371 of PCT/GB00/01732 05/05/2000 *OK 11/15/04*

** FOREIGN APPLICATIONS *****

UNITED KINGDOM 9910607.2 05/08/1999 *OK 11/15/04*

Foreign Priority claimed 35 USC 119 (a-d) conditions met Verified and Acknowledged	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no <input checked="" type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> Met after Allowance Examiner's Signature <i>[Signature]</i> Initials	STATE OR COUNTRY UNITED KINGDOM	SHEETS DRAWING 2	TOTAL CLAIMS 2	INDEPENDENT CLAIMS 1
--	---	--	------------------------	----------------------	----------------------------

ADDRESS

Sten Erik Hakanson
 Patent Attorney
 IMI Cornelius Inc
 One Cornelius Place
 Anoka, MN
 55303-6234

TITLE

Dosing valve with flow rate sensor for a beverage dispenser

FILING FEE RECEIVED 1020	FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following:	<input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees (Filing) <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) <input type="checkbox"/> 1.18 Fees (Issue) <input type="checkbox"/> Other _____ <input type="checkbox"/> Credit
------------------------------------	---	---